

**18.5 inches  
Open frame**

Demand 30185HD



**Feature**

- 1.High Contrast color TFT LCD Monitors support resolution upto 1920x1080. Power management system conform to VESA DPMS and EPA Energy Star standards.**
- 3.Full consideration for touchscreen installation and application.**
- 4.Universal Power adapter.**
- 5.Support DDC1 & DDC2B for Plug & Play compatibility.**
- 6.Advanced OSD control for picture quality adjustment.**
- 7.Detachable stand for wall-mounting application.**
- 8.Heavy duty Monitor with steel frame.**
- 9.Custom design by request.**

**Specification**

Display	Viewing Size Image	18.5"
	Active Display Area (mm)	409.8 (H) x 230.4 (V)
	Pixel Pitch (mm)	0.30x0.30
	Resolution	1920x1080
	Contrast Ratio	1000:1 (typ.)
	Color	16.7M (6-bit/ Hi-FRC)
	Brightness	350 cd/m <sup>2</sup>
	Viewing Angle	-89~89 (H) ; -89~89 (V)
	Recommended Resolution	1920 x 1080 @ 60Hz ,75Hz
	Signal Connector	VGA, DVI

**18.5 inches**  
**Open frame**  
 Demand 30185HD




**Specification**

Power	Source	12V DC in,with External AC-DC Adapter(100-240V)
	Consumption	16.5W typical
	Management	VESA DPMS Compliant
Optional	Touch	Resistive, PCAP,IR
	High Brightness	1000,1500
	Auto Dimming	YES
	POWER in	DC24V,DC 9V~36V
	Remote Control	YES
	IO	AV,HDMI,DP

**18.5 inches  
Open frame  
Demand 30185HD**



**Mechanical Drawing**



UNIT : mm