

**19 inches**  
**Open frame**  
 Demand 30190W



**Feature**

- 1.High Contrast color LCD Monitor with resolution upto WXGA(1440x900)**
- 2.Power management system conforms to VESA DPMS and EPA EnergyStar standards.**
- 3.Full consideration for touchscreen installation and application.**
- 4.Universal Power adapter.**
- 5.Support DDC1 & DDC2B for Plug & Play compatibility.**
- 6.Advanced OSD control for picture quality adjustment.**
- 7.Detachable stand for wall-mounting application.**
- 8.Heavy duty Monitor with steel frame.**
- 9.Custom design by request.**

**Specification**

Display	Viewing Size Image	19"
	Active Display Area (mm)	408.24(H) x 255.15 (V)
	Pixel Pitch (mm)	0.2835 (H) x 0.2835 (V)
	Resolution	1440 x 900
	Contrast Ratio	1000 : 1 (typ.)
	Color	16.7M (8-bit)
	Brightness	250cd/m <sup>2</sup>
	Viewing Angle	-85~85 (H) ; -80~80(V)
	Recommended Resolution	1440x 900 @ 60Hz
	Signal Connector	VGA, DVI

**19 inches**  
**Open frame**  
 Demand 30190W



**Specification**

Power	Source	12V DC in,with External AC-DC Adapter(100-240V)
	Consumption	20W typical, normal operation
	Management	VESA DPMS Compliant
Optional	Touch	Resistive,PCAP,IR
	High Brightness	1000,1500
	Auto Dimming	YES
	POWER in	DC24V,DC9V~36V
	Remote Control	YES
	IO	AV,HDMI,DP

# 19 inches Open frame Demand 30190W



## Mechanical Drawing

