

**27 inches
Open frame**

Demand 30270



Feature

- 1.High Contrast color TFT LED Monitors support resolution upto 1920X1080.**
- 2.Power management system conform to VESA DPMS and EPA Energy Star standards.**
- 3.Full consideration for touchscreen installation and application.**
- 4.Universal Power adapter.**
- 5.Support DDC1 & DDC2B for Plug & Play compatibility.**
- 6.Advanced OSD control for picture quality adjustment.**
- 7.Detachable stand for wall-mounting application.**
- 8.Heavy duty Monitor with steel frame.**

Specification

| | | |
|---------|--------------------------|-------------------------|
| Display | Viewing Size Image | 27" |
| | Active Display Area (mm) | 597.89 (H) x 336.31 (V) |
| | Pixel Pitch (mm) | 0.3114 (H) x 0.3114 (V) |
| | Resolution | 1920 x 1080 |
| | Contrast Ratio | 1200: 1 (typ.) |
| | Color | 16.7M |
| | Brightness | 300 cd/m ² |
| | Viewing Angle | -85~80 (H) ; -89~85 (V) |
| | Recommended Resolution | 1920 x 1080 @ 60Hz |
| | Signal Connector | VGA, DVI |

27 inches
Open frame
 Demand 30270






Specification

| | | |
|----------|-----------------|--|
| Power | Source | 12V DC in, with External AC-DC Adapter(100-240V) |
| | Consumption | 25W typical, normal operation |
| | Management | VESA DPMS Compliant |
| Optional | Touch | PCAP,IR |
| | High Brightness | 1000,1500 |
| | Auto Dimming | YES |
| | POWER in | DC24V, DV9V~36V |
| | Remote Control | YES |
| | IO | AV,HDMI,DP |

**27 inches
Open frame
Demand 30270**



Mechanical Drawing



Unit:mm

