

**46 inches
Chassis LCD Monitor
Demand 40460**



Feature

- 1.High Contrast color TFT LCD Monitor support resolution up to FULL HD (1920 x 1080)**
- 2.Power management system conforms to VESA DPMS and EPA Energy Star standards.**
- 3.Full consideration for touch screen installation and application.**
- 4.Universal Power adapter.**
- 5.Support DDC1 & DDC2B for Plug & Play compatibility.**
- 6.Advanced OSD control for picture quality adjustment.**
- 7.Detachable stand for wall-mounting application.**
- 8.Heavy duty Monitor with steel frame.**
- 9.Custom design by request.**

Specification

Display	Viewing Size Image	46"
	Active Display Area (mm)	1018.08 (H) x 572.67 (V)
	Pixel Pitch (mm)	0.53025 (H) x 0.53025 (V)
	Resolution	1920 x 1080
	Contrast Ratio	4000 : 1 (typ.)
	Color	16.7 M
	Brightness	450 cd/m ²
	Viewing Angle	-89~89 (H) ; -89~89 (V)
	Recommended Resolution	1920 x 1080 @ 60Hz
	Signal Connector	VGA, DVI, HDMI

46 inches Chassis LCD Monitor

Demand 40460



Specification

Power	Source	100~240VAC power cord
	Consumption	92W typical, normal operation
	Management	VESA DPMS Compliant
Optional	Touch	PCAP, IR
	High Brightness	1000, 1500
	Auto Dimming	YES
	POWER in	DC24V
	Remote Control	YES
	IO	AV, DP

46 inches Chassis LCD Monitor

Demand 40460



Mechanical Drawing

UNIT : mm

