

65 inches Chassis LCD Monitor

Demand 40650



Feature


1. High Contrast color TFT LCD Monitor support resolution up to FULL HD (1920 x 1080)
2. Power management system conforms to VESA DPMS and EPA Energy Star standards.
3. Full consideration for touch screen installation and application.
4. Universal Power adapter.
5. Support DDC1 & DDC2B for Plug & Play compatibility.
6. Advanced OSD control for picture quality adjustment.
7. Detachable stand for wall-mounting application.
8. Heavy duty Monitor with steel frame.
9. Custom design by request.

Specification

Display	Viewing Size Image	65"
	Active Display Area (mm)	1428.48 (H) x 803.52 (V)
	Pixel Pitch (mm)	0.744 (H) x 0.744 (V)
	Resolution	1920 x 1080
	Contrast Ratio	4000 : 1
	Color	1073.7M (10bits/color)
	Brightness	500 cd/m ²
	Viewing Angle	-89~89 (H) ; -89~89 (V)
	Recommended Resolution	1920 x 1080 @ 60Hz 10bit 1.07B
	Signal Connector	VGA, DVI, HDMI

65 inches Chassis LCD Monitor

Demand 40650



Specification


Power	Source	100V ~ 240VAC power cord
	Consumption	201W typical, normal operation
	Management	VESA DPMS Compliant
Optional	Touch	PCAP, IR
	High Brightness	1000, 1500
	Auto Dimming	YES
	POWER in	24V,
	Remote Control	YES
	IO	AV, DP

65 inches Chassis LCD Monitor

Demand 40650



Mechanical Drawing



...Dimension 4465 Serial.dgn 2014/9/1 上 10:55:42