

**8.4 inches
Panel Mount LCD Monitor
Demand 50084**



Feature

- 1. Custom design by request.**
- 2. High Contrast color TFT LCD Monitor support resolution up to SVGA (800 x 600)**
- 3. Power management system conforms to VESA DPMS and EPA Energy**
- 4. Star standards.**
- 5. Full consideration for touch screen installation and application.**
- 6. Universal Power adapter.**
- 7. Support DDC1 & DDC2B for Plug & Play compatibility.**
- 8. Advanced OSD control for picture quality adjustment.**
- 9. Detachable stand for wall-mounting application.**
- 10. Heavy duty Monitor with steel frame.**

Specification

Display	Viewing Size Image	8.4"
	Active Display Area (mm)	170.4 (H) x 127.8 (V)
	Pixel Pitch (mm)	0.213 x 0.213
	Resolution	800 x 600
	Contrast Ratio	600 : 1 (typ.)
	Color	16.2M (8-bit)
	Brightness	450cd/㎡
	Viewing Angle	-80~80 (H) ; -80~60(V)
	Recommended Resolution	800 x 600 @ 60Hz, 75Hz
	Signal Connector	VGA,DVI

**8.4 inches
Panel Mount LCD Monitor
Demand 50084**



Specification

Power	Source	12V DC in, with External AC-DC Adapter(100-240V)
	Consumption	4.5W typical , normal operation
	Management	VESA DPMS Compliant
Optional	Touch	Resistive, PCAP
	High Brightness	1000,1500
	Auto Dimming	YES
	POWER in	DC24V, DC9V~36V
	Remote Control	YES
	IO	AV,HDMI,DP

**8.4 inches
Panel Mount LCD Monitor
Demand 50084**



Mechanical Drawing

