

**17 inches
Rack Mount LCD Monitor
Demand 50170RK**



Feature

- 1.High Contrast color TFT LCD Monitor support resolution up to SXGA (1280 x 1024)**
- 2.Power management system conforms to VESA DPMS and EPA Energy Star standards.**
- 3.Full consideration for touch screen installation and application.**
- 4.Universal Power adapter.**
- 5.Support DDC1 & DDC2B for Plug & Play compatibility.**
- 6.Advanced OSD control for picture quality adjustment.**
- 7.Detachable stand for wall-mounting application.**
- 8.Heavy duty Monitor with steel frame.**

Specification

| | | |
|---------|--------------------------|---------------------------|
| Display | Viewing Size Image | 17" |
| | Active Display Area (mm) | 337.92 (H) x 207.34 (V) |
| | Pixel Pitch (mm) | 0.264 (H) x 0.264(V) |
| | Resolution | 1280 x 1024 |
| | Contrast Ratio | 1000 : 1 (typ.) |
| | Color | 16.7M (6bits+FRC) |
| | Brightness | 250 cd/m ² |
| | Viewing Angle | -85~85(H) ; -80~80 (V) |
| | Recommended Resolution | 1280 x 1024 @ 60Hz, 75 Hz |
| | Signal Connector | VGA,DVI |

**17 inches
Rack Mount LCD Monitor
Demand 50170RK**



Specification

| | | |
|----------|-----------------|---|
| Power | Source | 12V DC in with External AC-DC Adapter(100-240V) |
| | Consumption | 13W typical, normal operation |
| | Management | VESA DPMS Compliant |
| Optional | Touch | Resistive, PCAP,IR |
| | High Brightness | 1000,1500 |
| | Auto Dimming | YES |
| | POWER in | DC24V,DC9V~36V |
| | Remote Control | YES |
| | IO | AV,HDMI,DP |

17 inches Rack Mount LCD Monitor Demand 50170RK



Mechanical Drawing

