

19 inches Full IP65 Stainless Design Demand 70190



Feature

1. High Contrast color TFT LCD Monitor support resolution up to SXGA(1280x1024)
2. Widely used in chemical industry, food industry, medical devices, appliances etc. with good corrosion resistance
3. Full IP65 Stainless Design
4. Universal Power adapter.
5. Support DDC1 & DDC2B for Plug & Play compatibility.
6. Advanced OSD control for picture quality adjustment

Specification

Display	Viewing Size Image	19"
	Active Display Area (mm)	376.32(H) x 301.06 (V)
	Pixel Pitch (mm)	0.294 (H) x 0.294(V)
	Resolution	1280 x 1024
	Contrast Ratio	1000 : 1 (typ.)
	Color	16.7M (8bits/colors)
	Brightness	250 cd/m ²
	Viewing Angle	-85~85 (H) ; -80~80(V)
	Recommended Resolution	1280x 1024 @ 60Hz, 75Hz
	Signal Connector	VGA, DVI

**19 inches
Full IP65 Stainless Design**

Demand 70190



Specification



Power	Source	12V DC in, with External AC-DC Adapter(100-240V)
	Consumption	12W typical, normal operation
	Management	VESA DPMS Compliant
Optional	Touch	Resistive, PCAP
	High Brightness	1000,1500
	Auto Dimming	YES
	POWER in	DC24V,DC9V~36V
	Remote Control	YES
	IO	AV,HDMI,DP

19 inches Full IP65 Stainless Design

Demand 70190



Mechanical Drawing



UNIT: mm

