



24 inches
Full IP65 Stainless Design
 Demand 70240

Feature

- 1.High Contrast color LCD Monitor with resolution up to XGA (1920x1080)
- 2.Widely used in chemical industry, food industry, medical devices, appliances etc. with good corrosion resistance
- 3.Full IP65 Stainless Design
- 4.Universal Power adapter.
- 5.Support DDC1 & DDC2B for Plug & Play compatibility.
- 6.Advanced OSD control for picture quality adjustment

Specification

Display	Viewing Size Image	24"
	Active Display Area (mm)	531.36 (H) x 298.89 (V)
	Pixel Pitch (mm)	0.276(H)x0.276 (V)
	Resolution	1920 x 1080
	Contrast Ratio	3000 : 1 (typ.)
	Color	16.7M(8 bits/colors)
	Brightness	250 cd/m ²
	Viewing Angle	-89~89(H) ; -89~89 (V)
	Recommended Resolution	1920 x 1080 @ 60Hz
	Signal Connector	VGA.DVI



24 inches

Full IP65 Stainless Design

Demand 70240

Specification

Power	Source	12V DC in, with External AC-DC Adapter(100-240V)
	Consumption	21W typical, normal operation
	Management	VESA DPMS Compliant
Optional	Touch	Resistive, PCAP,IR
	High Brightness	1000,1500
	Auto Dimming	YES
	POWER in	DC24V, DV9V~36V
	Remote Control	YES
	IO	AV,HDMI,DP






24 inches

Full IP65 Stainless Design

Demand 70240

 Mechanical Drawing



...Dimension 78244 Serial.dgn 2015/10/8 11:05:28:05