



32 inches
Full IP65 Stainless Design
 Demand 70320

Feature

1. High Contrast color TFT LCD Monitor support resolution up to Full HD (1920x1080)
2. Widely used in chemical industry, food industry, medical devices, appliances etc. with good corrosion resistance
3. Full IP65 Stainless Design
4. Universal Power adapter.
5. Support DDC1 & DDC2B for Plug & Play compatibility.
6. Advanced OSD control for picture quality adjustment

Specification

Display	Viewing Size Image	32"
	Active Display Area (mm)	698.4 (H) x 392.85 (V)
	Pixel Pitch (mm)	0.3637 (H) x 0.3637 (V)
	Resolution	1920 x 1080
	Contrast Ratio	1100 : 1 (typ.)
	Color	8 bit
	Brightness	400 cd/m ²
	Viewing Angle	-89~89 (H) ; -89~89 (V)
	Recommended Resolution	1920 x 1080 @ 60Hz
	Signal Connector	VGA, DVI, HDMI

32 inches**Full IP65 Stainless Design**

Demand 70320



**Specification**

Power	Source	100V ~ 240VAC power cord
	Consumption	41W typical, normal operation
	Management	VESA DPMS Compliant
Optional	Touch	PCAP, IR
	High Brightness	1000, 1500
	Auto Dimming	YES
	Power in	DC24V, DC9V~36V
	Remote Control	YES
	IO	AV, DP

32 inches
Full IP65 Stainless Design
Demand 70320



 Mechanical Drawing



...Dimension 74324IB.dgn 2016/4/15 上午 11:02:19