



**46 inches**  
**Full IP65 Stainless Design**  
 Demand 70460

**Feature**

1. High Contrast color TFT LCD Monitor support resolution up to Full HD (1920x1080)
2. Widely used in chemical industry, food industry, medical devices, appliances etc. with good corrosion resistance
3. Full IP65 Stainless Design
4. Universal Power adapter.
5. Support DDC1 & DDC2B for Plug & Play compatibility.
6. Advanced OSD control for picture quality adjustment

**Specification**

<b>Display</b>	Viewing Size Image	46"
	Active Display Area (mm)	1018.08 (H) x 572.67 (V)
	Pixel Pitch (mm)	0.53025 (H) x 0.53025 (V)
	Resolution	1920 x 1080
	Contrast Ratio	4000 : 1 (typ.)
	Color	16.7 M (10 bits)
	Brightness	450 cd/m <sup>2</sup>
	Viewing Angle	-89~89 (H) ; -89~89 (V)
	Recommended Resolution	1920 x 1080 @ 60Hz
	Signal Connector	VGA, DVI, HDMI



**46 inches**

**Full IP65 Stainless Design**

Demand 70460


**Specification**

Power	Source	100 ~ 240VAC power cord
	Consumption	92W typical, normal operation
	Management	VESA DPMS Compliant
Optional	Touch	PCAP, IR
	High Brightness	1000,1500
	Auto Dimming	YES
	POWER in	DC24V
	Remote Control	YES
	IO	AV, DP



# 46 inches Full IP65 Stainless Design Demand 70460

## Mechanical Drawing



...Dimension C04-Stainless IP66 46-inch Monitor.dgn 2013/6/10 F/P 06:33:43